
A White Paper
from an Expert
Symposium on



Medication Management

in Assisted Living



Center for
Excellence in
Assisted Living

www.theceal.org

A White Paper from an Expert Symposium on Medication Management in Assisted Living is jointly published and copyrighted by HealthCom Media and the Center for Excellence in Assisted Living (CEAL). Copyright © 2008. All rights reserved.

HealthCom Media, 259 Veterans Lane, 3rd floor, Doylestown, PA 18901
www.HealthComMedia.com

Center for Excellence in Assisted Living (CEAL), 2342 Oak Street, Falls Church, VA 22046
www.TheCeal.org

Acknowledgements

The Center for Excellence in Assisted Living (CEAL) and HealthCom Media, publisher of *Assisted Living Consult*, co-hosted a Symposium to discuss medication management in assisted living. CEAL and HealthCom Media gratefully thank the many experts who participated and enriched the Symposium through their insights and diverse perspectives of medication management. We gratefully thank the Symposium sponsors—AARP, Boehringer-Ingelheim, Eisai/Pfizer, GlaxoSmithKline, Medicine-on-Time, Omnicare, sanofi-aventis, Watson Pharmaceuticals, and Wyeth Pharmaceuticals—who made holding the Symposium possible. The American Institute of Architects provided their Washington, DC, boardroom for the Symposium, which was held on January 31, 2008.

The White Paper does not necessarily represent the views or positions of CEAL, CEAL Board Member organizations, HealthCom Media or *Assisted Living Consult*, or the sponsoring organizations.

Table of Contents

2008 CEAL Symposium Purpose	5
Background.....	6
Medication Use by Seniors.....	6
Medication Management by State	7
Challenges to Effective Medication Management in Assisted Living.....	8
Planning the Symposium	10
Meeting Design, Components, Participants, and Report Organization	10
Welcome	11
Overview of Medication Management in Assisted Living	12
Medication Management: Six Perspectives	14
Point-Counterpoint.....	18
Prescribing.....	18
Dispensing.....	19
Administering.....	20
Breakout Groups	20
Prescribing.....	20
Dispensing.....	21
Administering.....	22
Recommendations.....	23
Center for Excellence in Assisted Living	27
References	28
Symposium Participants	29

2008 CEAL Symposium Purpose

Assisted living (AL) has traditionally been viewed as a “social” model of care (compared to the “medical” model of a skilled nursing facility [SNF]), but medication management is one area in which AL is clearly crossing over to a medical model—one that includes management of residents’ medication needs. Individual providers and the industry as a whole have been discussing the challenges of medication management in AL for many years.

In 2001, the Assisted Living Workgroup (ALW) was convened at the request of the US Senate Special Committee on Aging to develop consensus recommendations to ensure quality care in AL. ALW was a national initiative of nearly 50 organizations representing providers, consumers, long-term care (LTC) and healthcare professionals, regulators, and others. ALW presented 110 recommendations, 20 specific to medication management, in its final report and testimony before the US Senate Special Committee on Aging in April 2003.

Many of the 20 recommendations on medication management received a full two-thirds consensus vote from the organizations involved in the workgroup on topics that included:

- Medication policies and procedures
- Disclosure
- The role of unlicensed assistive personnel (UAPs)
- Resident assessment and service planning
- Quality improvement
- Medication orders, storage, and documentation

In January 2008, CEAL and *Assisted Living Consult* invited members of the National Center for Assisted Living (NCAL), Assisted Living Federation of America (ALFA), and American Assisted Living Nurses Association (AALNA) to participate in an online survey of medication management and pharmacy practices and challenges. The findings of this survey on medication management in AL and the work of the ALW inspired CEAL to gather a wide and distinguished group of experts representing diverse perspectives to discuss issues and develop actionable next steps to improve the quality of medication management services in AL.

Background

Medications are an essential component of care for many seniors, including those residing in AL communities. When used appropriately, medications are effective treatments for a range of acute and chronic conditions, and can positively affect quality of life. Pain relievers, for example, can allow a person with arthritis to button a shirt, and antihypertensive medications can prevent cardiovascular complications for someone with high blood pressure.

The benefits of modern medications are impressive, but with the benefits come potential hazards. Toxicity, adverse drug reactions (ADRs), adverse drug events (ADEs), drug interactions, and other negative outcomes pose a constant threat to anyone taking medications, particularly older adults who often take multiple prescription and over-the-counter (OTC) drugs.

Terminology used to describe medication-related hazards can be confusing. The following are definitions of essential medication-related terms, used by the Food and Drug Administration (FDA) and the World Health Organization (WHO), that will aid the discussion of medication management in this White Paper.¹

Adverse event: Harm to a patient administered a drug but not necessarily caused by the drug.¹

Adverse drug reaction (ADR): Harm directly caused by a drug at normal doses.¹

Adverse drug event (ADE): Harm caused by the use of a drug; includes harm from overdoses and underdoses; usually related to medication errors.¹

Side effect: A usually predictable or dose-dependent effect of a drug that is not the principal effect for which the drug was prescribed; the side effect may be desirable, undesirable, or inconsequential. Because the term *side effect* can refer to a range of effects and is therefore nonspecific, its use should be avoided.¹

Drug interactions (drug-drug, drug-food, drug-herb): An effect that occurs when a substance affects the activity of a drug (the drug's activity is increased or decreased, or the combination of substances produces a new effect that neither agent produces on its own).¹

Medication error: Any preventable event that may cause or lead to inappropriate medication use or patient harm while the medication is in the control of the healthcare professional, patient, or consumer. Such events may be related to professional practice, healthcare products, procedures, and systems, including prescribing; order communication; product labeling, packaging, and nomenclature; compounding; dispensing; distribution; administration; education; monitoring; or use.²

Medication Use by Seniors

On average, older adults use 5 prescription medications, and those with 3 or more chronic conditions use 6 to 7 prescription medications per month.³ A 2001 study of medication usage patterns in AL reported the number of medications used by AL residents to be 6.2 (+/-3.4).⁴ AL residents are more likely than residents of skilled nursing facilities (SNFs) to be treated by several different specialists for concurrent medical conditions, yet AL residents receive less oversight of their medication regimens compared with SNF residents. Because of the high number

of medications AL residents take, they are at increased risk for drug interactions and other negative outcomes.⁵

Physiologic changes related to aging compounded by the sheer volume of medications—both routine and PRN—typically taken by many older adults, including AL residents, leave them at risk for ADEs resulting directly from prescribed medication therapy, the effects of unreported over-the-counter medication use, or medication errors by AL staff or residents themselves.

An estimated 106,000 fatal ADEs occur annually in the US.⁶ One-third of emergency department (ED) visits by older adults presenting with ADEs are caused by 3 drugs—warfarin, insulin, and digoxin.⁷ Monitoring for ADEs is an important consideration for medication management in AL settings.

Approximately 85% of AL residents require assistance with medication management.⁸ This need is what often triggers their initial move to an AL community. Frequently, an event or crisis related to medication use, such as a fall or other problem that leads to an ED visit, brings family members to the realization that their relatives can no longer live at home safely by themselves. The growing numbers of older persons who can no longer manage their medications and the many factors described previously make proper medication management—prescribing, dispensing, administering, and monitoring—in AL vitally important to ensure appropriate, effective, and safe medication use.

Medication Management by State

In a state-by-state analysis of 2007 regulations related to medication management in AL, CEAL calculated the following statistics (unpublished research):

- Fourteen states require nurse administration of medications in AL.
- Thirty-two states allow unlicensed assistive personnel (UAPs) to administer medications to AL residents.
- Four states have special conditions: Kentucky and New York require AL residents to self-administer their medications, and Louisiana and Minnesota require AL residents to contract with an outside source for medication administration if they cannot self-administer.

In January 2008, CEAL and *Assisted Living Consult* invited members of The National Center for Assisted Living (NCAL), Assisted Living Federation of America (ALFA), and American Assisted Living Nurses Association (AALNA) to participate in an online survey of medication management and pharmacy practices and challenges. Individuals surveyed included AL administrators and owners, executive directors, and AL nurses. Responses were received from 547 individuals (53%, AL administrators or executive directors; 28%, AL nurses; 13%, AL owners; 5%, AL regional corporation directors). The following results indicate issues of concern to AL staff who participated in the survey. The states with the highest numbers of respondents were:

- Minnesota, 61
- Iowa, 25
- New Jersey, 44
- Massachusetts, 23
- Florida, 28
- California, 21

Survey results showed that the most likely types of medication errors include:

- Medication out of stock or not delivered to AL facility [Dispensing error]
- Medication given at the wrong time [Administering error]
- Medication given at the wrong dose [Administering error]
- Wrong medication sent by the pharmacy [Dispensing error]

Survey respondents identified the most pressing medication-related challenges (in order) to be:

- Difficulty reaching a physician or nurse practitioner to obtain or verify a prescription [Prescribing]
- Timely delivery of medications by the pharmacy [Dispensing]
- Appropriately trained staff [Administering]
- Adequate staffing [Administering]

The current medication management challenges identified by the AL industry are varied and stem from problems at all levels of the medication use process—prescribing, dispensing, and administering of medications. If these issues are to be resolved and workable solutions created, it will take cooperation, collaboration, and effective communication from all stakeholders involved in providing services to AL residents. Stakeholders include not only those working in AL communities—executive directors, owners or operators, nurses, and UAPs—but also physicians, pharmacists, and residents and their family members.

Challenges to Effective Medication Management in Assisted Living

Several challenges to effective medication management in the AL setting were discussed by Symposium participants and have been identified in the findings of a joint study by the Oregon Health & Science Institute, Rutgers University Center for State Health Policy, the University of Washington, and Northern Illinois University.⁹

- Balancing consumer safety and autonomy with self-administration of medications is difficult. In response to increased consumer demand, many AL facilities are retaining higher-acuity residents, yet may still need to develop systems to manage their healthcare needs. Residents who are at particular risk for problems with medications include those who:
 - Lack coordination of care among multiple prescribers and healthcare providers
 - Were recently discharged from a hospital
 - Have impaired cognitive status
 - Are on complicated medication regimens
- Healthcare providers who do not specialize in geriatrics (internists, family practice physicians, ED physicians, and general nurse practitioners) may not be best equipped to handle the medication management needs of AL residents because most generalists have not received training in the special health characteristics of older adults. This is because such training has until recently been a low priority for medical schools.^{10,11} Nonspecialists are not always familiar with the Beers Criteria¹² of medications identified as potentially inappropriate for older adults and may inappropriately prescribe medications for these seniors. In addition, nongeriatricians may mistake medication side effects for the onset of new illnesses or aging and prescribe additional medications for the perceived new conditions.

- There is lack of uniformity among states regarding medication management. The definition of “medication assistance” varies among states. Regulations and statutes guiding nurse delegation also vary among states and can be confusing even within one state.⁹
- States are struggling to find the best way to balance consumers’ desire for a more homelike “social” model of care with the reality that many people who want this option also need help with “medical” or nursing needs, such as medication administration.¹² Problems that occur include⁹:
 - “Assistance with self-administration” often becomes “medication administration.”
 - Medication administration is often provided by unlicensed assistive personnel (UAPs) who operate outside of a nurse-delegation model.
 - Nurses may be involved in supervising UAPs rather than delegating to them because nurse delegation in AL is not authorized by all states. (Delegation is the transfer of authority from a licensed nurse to a competent individual for completing selected nursing tasks, activities, and functions. It requires assessment of the client, the staff, and the context of the situation; communication to provide direction and opportunity for interaction during the completion of the delegated task; surveillance and monitoring to ensure compliance with standards of practice, policies, and procedures; and evaluation to consider the effectiveness of the delegation and whether the desired client outcome was attained.¹³)
 - The difference between supervising and delegating may be confusing to nurses practicing in AL, and they may not be able to turn to their boards of nursing for guidance since many boards do not understand this care setting.
- The bulk of medications given in AL settings are low risk and routine; therefore, the focus of medication management should be on high-risk drugs and residents.⁹
- Very few errors pose a potential for harm.⁹
- Medication aides (in some states referred to as UAPs) generally do remarkably well with the level of training and preparation they receive.⁹

Researchers in the joint study of the Oregon Health & Science Institute, Rutgers University Center for State Health Policy, the University of Washington, and Northern Illinois University developed the following recommendations⁹:

- State surveyors and licensors receive training to improve interpretation of medication administration guidelines and consistent application of rules to practice settings.
- Pharmacies provide medication packaging that is specific to the AL industry. Improved packaging would:
 - Promote accuracy and reduce errors
 - Allow for timely adjustments of dose or medications
 - Promote safer delivery of liquids and as-needed (PRN) medications
 - Streamline documentation for greater efficiency and accuracy
- The industry develops standardized core training and competency testing for UAPs.
- The industry provides education and professional development for AL nurses to optimize their understanding and enactment of the AL philosophy and their role in AL medication management.

Planning the Symposium

The Medication Management in Assisted Living Symposium, co-hosted by CEAL and HealthCom Media, publisher of *Assisted Living Consult*, was convened on January 31, 2008, in Washington, DC. The purpose of the Symposium was to catalyze discussion and examination of the safety and quality of medication management relative to practices, public policies, and research in AL.

Based on the findings of the previously described (see page 7) national online survey of AL facility administrators and executive directors, nurses, owners, corporate directors, and regional nurses, CEAL chose to focus on the following 3 areas of medication management:

- Prescribing medications (healthcare provider level)
- Dispensing medications (pharmacy level)
- Administering and documenting medications (facility level)

The goals of the Symposium were to:

- Identify practices, processes, and policies that are effective.
- Identify practices, processes, and policies that create challenges.
- Determine and prioritize constructive solutions (based on evidence, if possible).
- Identify top priorities and develop a list of actionable next steps for each priority.

The CEAL Symposium planning committee developed the curriculum and agenda, under the leadership of Sandi Flores, RN, director of clinical services, Community Education, LLC. The American Institute of Architects provided the venue for the Symposium. Healthcom Media and CEAL were responsible for logistics and HealthCom Media for sponsorships.

Meeting Design, Components, Participants, and Report Organization

Welcome

The Symposium was convened by 2008 CEAL Board Chairman and Executive Director of the NCAL, Dave Kylo.

Overview

Susan Reinhard, RN, PhD, senior vice president, AARP Public Policy Institute, then presented “Overview of Medication Management in Assisted Living.”

Panels

The Overview was followed by the first panel moderated by Josh Allen, RN, Community Education, LLC. The 6-member panel represented 6 perspectives in AL:

- Ethel L. Mitty, RN, EdD, researcher and academician
- Jackie Pinkowitz, MEd, resident family member

- Josh Allen, RN, nurse
- Pat Giorgio, MA, administrator
- Brandy Toivonen, medication aide
- Nancy Losben, RPh, CCP, FASCP, consultant pharmacist

The second panel comprised a point-counterpoint discussion moderated by Howard Groff, NCAL chair and president of Tealwood Care Centers, Inc. The three groups of discussants were:

- Dan Haimowitz, MD, FACP, CMD, and Josh Allen, RN (representing a prescribing physician and an AL nurse)
- Alexander Pytlarz, PharmD, and Sharon Roth Maguire, MS, APRN-BC, GNP, APNP (representing a dispensing pharmacist and an AL nurse)
- Kathleen McDermott, RN, BSN, and Richard Stefanacci, DO, MGH, MBA, AGSF, CMD (representing an administrator/AL nurse and a physician)

Breakout Groups

Using the information provided during presentations in the morning sessions, participants divided into breakout groups to discuss the 3 identified problem areas in medication management in AL settings: prescribing, dispensing, and administering and documenting.

- Evidence-based prescribing of medications, facilitated by Richard Stefanacci, DO, MGH, MBA, AGSF, CMD, and Susan Gilster, PhD
- Dispensing medications, facilitated by Nicole Brandt, PharmD, CGP, BCPP, and Kathy Cameron, RPh, MPH
- Administering and documenting medications, facilitated by Kathy Fiery, MS, LNHA, CALA, CSW, and Josh Allen, RN

Plenary Session

Howard Groff led the final plenary session in which summary findings and recommendations for future initiatives were developed.

Welcome

CEAL Board Chairman Dave Kylo welcomed the attendees, explained the rationale for the Symposium, described the planning committee, and thanked sponsors and partners.

He defined 2 terms that would be used during the Symposium:

Polymedicine: Multiple medications prescribed appropriately for older adults to treat comorbid conditions

Polypharmacy: The undesirable state caused by use of duplicative medications, drug interactions, and disregard for principles of pharmacokinetics (bodily absorption, distribution, metabolism, and excretion of drugs) and pharmacodynamics (reactions between drugs and living systems)

The goal of medication management in AL residents is polymedicine. The Symposium goal, explained Mr. Kylo, was to develop some actionable steps for CEAL to help promote polymedicine in the AL setting.

Overview of Medication Management in Assisted Living

Susan Reinhard, RN, PhD, senior vice president, AARP Public Policy Institute

Dr. Reinhard opened her presentation by stating that providing assistance with “SELF administration” of medication in AL is just a game of words. Many states, however, do not want to delve into the problem of medication administration in a “home-like” setting. Person-centered (resident-centered) care is the goal, but we are not achieving it in the AL setting, stated Dr. Reinhard, because we are challenged by the need to have processes, regulations, and policies.

Dr. Reinhard presented final study results, published in the *Journal of the American Geriatrics Society (JAGS)*, from the study conducted by the Oregon Health & Science Institute, Rutgers University Center for State Health Policy, the University of Washington, and Northern Illinois University.¹⁴ The medication administration observational study of 15 rural and urban AL settings in 4 states included direct observation of medication passes and focused interviews with registered nurses (RNs), licensed practical nurses (LPNs), medication aides, administrators, physicians, nurse practitioners, and pharmacists (n=510). Reviews of resident records (n=187) were also included. The following information is taken from the observational study.

AL settings in the 4 study states differed significantly¹⁴:

Illinois	<ul style="list-style-type: none">• Chain and standalone• Two types of pay:<ul style="list-style-type: none">◦ AL: private pay, lighter level of care◦ Supportive living: Medicaid waiver, nursing home alternative
New Jersey	<ul style="list-style-type: none">• Chain and standalone• Private pay, favored some Medicaid• Mostly frail older adults
Oregon	<ul style="list-style-type: none">• Mostly for-profit• Part of 1 chain• Mostly frail older adults needing high levels of care• Mostly Medicaid, some private pay
Washington	<ul style="list-style-type: none">• For-profit and nonprofit• Standalone and chain• Private pay favored, some Medicaid• Lighter level of care required

Dr. Reinhard reported that delegation varied widely, with Oregon having one of the broadest delegation frameworks. The only delegation required in Oregon is one-on-one delegation for injections and fingersticks. Medication aides are not certified. Washington requires certification for nurses' aides and delegation training. New Jersey has very specific delegation. Aides take a course, and delegation training is done by the nurse at the facility. Illinois has no medication aides; nurses administer medications.¹⁴

Staff turnover at the 15 facilities was nearly 50% (all staff), said Dr. Reinhard. Resident turnover averaged 30%. Eighty percent of residents were female, and the average age was 81.8 years. About 60% were alert and oriented, and 77.5% needed assistance with medication administration. Residents were taking an average of 10 prescribed and 3 as-needed (PRN) medications.¹⁴

Delivery systems also varied. Corporate facilities used corporate pharmacies with local pharmacies as backup. Standalone facilities used local pharmacies. Facilities in Oregon used medication trays, Washington and New Jersey used medication carts, and Illinois stored medications in each resident's room, stated Dr. Reinhard. Methods for identifying residents varied from marking medication cups with room numbers or resident names to simply stating the resident's name verbally. Timing of documentation varied, and privacy was an issue in 11 of the facilities.¹⁴

The role of unlicensed assistive personnel (UAPs) included numerous time-constrained tasks¹⁴:

- Medication stocking and delivery
- Communicating and problem solving (about why medications were not delivered)
- Quality monitoring
- Team participation and leadership
- Multitasking in a chaotic environment

Dr. Reinhard said there was general satisfaction with their role among the UAPs themselves and other members of the healthcare team in the study population. However, UAPs requested more training in medication administration.¹⁴

Nurses viewed their role as clinical oversight of all residents, including admission and discharge; coordination with physicians and nurse practitioners; training, delegation, and supervision of UAPs; error management; quality monitoring; and record keeping. Role priorities for nurses are heavily influenced by state regulations, stated Dr. Reinhard, and the emphasis is predominantly on task-oriented or reactive situations rather than on proactive monitoring and promoting of community health. Across the 4 states, the role of nurses in medication management was consistent. However, comprehensive review of total resident medication regimens with attention to medication reduction by facility nurses, physicians, and pharmacists was inconsistent. Under New Jersey regulations, the RN role is the most consistently defined. Staffing requirements are higher, and nurses are expected to monitor high-risk residents and focus on medication reduction.¹⁴

Across the 4 states, the total medication error rate was 28.2%. If you take out time (errors related to timing of a dose) as a factor in errors, said Dr. Reinhard, the rate dropped to

8.2%. In fact, errors in dose timing accounted for 70.8% of errors; wrong dose, 12.9%; omitted dose, 11.1; extra dose, 3.5%; unauthorized drug, 1.5%; and wrong drug, 0.2%.¹⁴

Facilities are responsible for setting the timing of doses according to strict schedules. This leads to high stress levels and an approach that is not person centered. Physicians, nurse practitioners, and administrators need to work to find ways to allow nurses and medication aides to deliver medications individually and not according to a regimented schedule to lower the stress levels. In the study, no errors were judged to be highly likely to cause harm (out of 1373 errors). Four errors (2 wrong dose and 2 unauthorized drugs) were judged to possibly cause harm. The error rate was mostly with insulin.¹⁴

According to Dr. Reinhard, strategies to limit errors include increasing RN involvement, following the Five Rights of medication administration, auditing medication administration records, observing policies and procedures, limiting distractions, supervising UAPs, and training UAPs. Another strategy is to increase flexibility in medication schedules to eliminate some of the stress medication aides feel. Physician and nurse practitioner involvement on-site makes a difference in the appropriateness of prescribed medications, resident assessment, problem solving, and overall health management of residents.

Five Rights of Medication Administration

- Right Resident
- Right Medication
- Right Route
- Right Time
- Right Dose

Implications of this study¹⁴ to consider, stated Dr. Reinhard, include:

- The acuity of AL residents is increasing and so is the complexity of medication management.
- Medication management is both a person and a system issue.
- Timing is a major issue: What is the relevance of the 2-hour window* in medication administration?
- RNs play a vital role in resident assessment and training and supervision of medication aides. The potential for this resource is not fully realized.

*Many AL communities rely on regulations for long-term care (LTC) facilities provided by the Centers for Medicare & Medicaid Services (CMS) that states that medications must be administered 1 hour before or 1 hour after the prescribed administration time. (Centers for Medicare & Medicaid Services. *State Operations Manual. Appendix PP: Guidance to Surveyors for Long Term Care Facilities*. Rev. 26. CMS Web site. http://cms.hhs.gov/manuals/Downloads/som107ap_pp_guidelines_ltc.pdf. August 17, 2007. Accessed July 10, 2008.)

Medication Management: Six Perspectives

Josh Allen, RN, Community Education, LLC

Panel Members

- Deb Choma, RN, nurse and administrator, Shard Villa, Salisbury, VT; member of NCAL Board

- Ethel Mitty, RN, EdD, researcher and academician, clinical professor of nursing, John A. Hartford Institute of Geriatric Nursing, New York University, New York, NY
- Jackie Pinkowitz, MEd, consumer advisor for QualityHealth.com, and Consumer Consortium on Assisted Living Advisory Board member, Colts Neck, NJ
- Brandy Toivonen, memory care coordinator and medication aide, Springridge Court, Wilsonville, OR
- Pat Giorgio, MA, president, Evergreen Estates, Cedar Rapids, IA
- Nancy Losben, RPh, CCP, FASCP, chief quality officer, Omnicare, Inc.

The following are the major points presented by the panel members of this session.

Jackie Pinkowitz, MEd (Family Member Perspective)

Ms. Pinkowitz began by stating that family members see medication management in an evolving way. “As our family members’ condition changes, so too does our focus.” She said most family concerns stem from 3 areas:

1. The current health condition of the resident when he or she moves into the AL community
2. The number of different physicians and specialists who are caring for the family member and who are individually prescribing medications
3. The absence of an electronic medical record system that would enable the multiple physicians and AL personnel, the appropriate personnel in the ED and hospital, and the appropriate family members to access and share health condition, medication, and lifestyle information

Most AL residents are in their 80s, noted Ms. Pinkowitz. Many are somewhat cognitively impaired. Family concerns start before the AL staff gets involved in medication management. If family members are not accompanying their relatives to their specialist or primary care office visits, those residents are self-reporting. They are self-reporting the medications, vitamins, and supplements they are currently taking; the actual doses; and how often they are taking them. Many of these residents self-report regardless of whether or not they have written their medications on a list. When they arrive at the AL community, they are self-storing and self-administering, and they are expected to be self-compliant with 9-plus daily medications.

When our loved ones enter AL facilities, said Ms. Pinkowitz, the extra expense is a burden. “We want to be informed about care issues. We want the medication aides to be knowledgeable about medication administration and to understand the risks of not doing these tasks well.”

Ms. Pinkowitz emphasized 4 elements of medication management that all healthcare providers should use:

- Anticipate
- Integrate
- Communicate
- Educate
 - before you Medicate.

Pat Giorgio, MA (Owner/Administrator Perspective)

Ms. Giorgio opened her presentation by noting the importance of attending to staff as well as residents. Although meeting the needs of residents is the purpose of providing care in an AL setting, it is also important that administrators attend to the needs of staff for more education and training and recognize their contributions to resident care. As much as we need good policies and procedures for medication administration, she said, the bottom line is to provide leadership of staff and recognize the importance of those who are providing care every day. The key to success is having the right people in the right job, asserted Ms. Giorgio. AL administrators need to be leaders and provide the resources that are necessary to help staff provide quality and excellence in care.

Brandy Toivonen (Medication Aide Perspective)

Responsibilities of medication aides include administering medications, transcribing physicians' orders, faxing orders to pharmacies, communicating with family and residents about their physicians' orders, communicating with physicians, and communicating with residents about their general well-being, stated Ms. Toivonen.

Medication aides may pass as many as 700 to 1000 medications and treatments per day, depending on the size of the community they service, Ms. Toivonen said. It becomes increasingly difficult to manage medications when there are multiple pharmacies and mail-order pharmacies involved. Breaks in communication between families and facilities occur, especially when families take a resident to a physician who prescribes new medications, Ms. Toivonen explained.

Medication aides need specific orders from physicians. For example, she said, a physician may write an order for 1 to 2 tablets every 4 to 6 hours. However, medication aides are not licensed to make a decision about whether to give 1 or 2 tablets and whether those tablets are given every 4, 5, or 6 hours. Similarly, medication aides are not licensed to give as-needed (PRN) medications, explained Ms. Toivonen. Medication aides must follow specific instructions and medication orders. Much of the medication aide's time and energy is spent contacting the prescribing physician for a new medication order. Other complications occur when residents are discharged from hospitals and arrive at a facility without specific discharge instructions.

Ethel Mitty, EdD, RN (LTC Researcher and Academician Perspective)

We must be concerned with the resident–environment fit, began Dr. Mitty. “We need to know if a medication will be a problem for a resident. What kind of noncompliance will we allow from our residents? And we shouldn't call it *noncompliance*, but rather *quality of life*.” For example, when is it likely that a resident won't take a prescribed diuretic? Dr. Mitty asked. Perhaps when he or she is going to attend a social event. When is it likely that a resident will need extra insulin? Perhaps when he or she wants to partake of birthday cake at a party. It is more than medication management that is a concern; the concern is a resident's qual-

ity of life, stated Dr. Mitty. We who work with AL residents must get to know the residents.

Given that the rate of medication errors is low in AL settings, we need to find a better way to administer PRN medications, such as pain medicine, without getting frantic. PRN medications have been made a pariah. Residents cannot age in place if PRN medications are an administration problem, said Dr. Mitty, alluding to what Ms. Toivonen had just explained.

Another area of concern in AL is that many executive directors of AL facilities are former hotel services directors. What do we know about their values? asked Dr. Mitty. This is an ethical problem.

In educating UAPs, how much can we teach about the medications, doses, adverse reactions, and interactions? questioned Dr. Mitty. Is it better to teach UAPs how to recognize what's normal about each resident, thereby also teaching them how to recognize what is abnormal?

Deb Choma, RN (AL Nurse and Nurse Administrator Perspective)

Education and communication are the keys to medication management in the AL setting (and elsewhere), said Ms. Choma. The big issues in AL involve coordinating multiple pharmacies, verifying physicians' orders, managing over-the-counter (OTC) vs prescribed medications vs supplements, working with hospice, and managing medications that require blood level testing.

Nancy Losben, RPh, CCP, FASCP (Pharmacy Perspective)

AL facility communication with the provider pharmacy is important, said Ms. Losben in her opening statement. Creating contractual agreements allows AL facilities to communicate their needs and expectations to a potential partner pharmacy. The sense of urgency to dispense and deliver immediately to an AL setting (like what would be felt if dispensing to a hospital) is complicated by the setting's social model and residents' freedom of choice in selecting their own pharmacies. It is helpful to pharmacies who wish to enter a relationship with an AL facility if contracts specify the delivery needs of that facility, explained Ms. Losben.

An often overlooked resource for AL communities is a consultant pharmacist who can provide expertise in reviewing medications and supplements. The costs of these services can be viewed as too high by some AL facilities. But consultant pharmacists can devise individualized plans for facilities. For instance, they can review remotely. They can review one-third of the resident charts each month rather than all of them every 3 months. By working with consultant pharmacists, AL facilities can find an arrangement that meets their needs. Ms. Losben warned that if a patient with diabetes wishes to age in place, the medication regimen will grow more and more complex. It is consultant pharmacists who can help the facility manage that resident's medications.

Who detects medication errors and how? asked Ms. Losben. Education of medication aides and staff has to include how to recognize and report medication errors, how to prevent the next big event—eg, stroke, myocardial infarction (MI), and other problems.

During a question-and-answer period that followed the presentations, participants outlined the top areas in which medication aides need additional training:

- Administering medications that have parameters (For example, residents receiving insulin and warfarin must have their blood levels of the drugs monitored to determine correct dosage.)
- Administering narcotics (especially in hospice)
- Medication error protocols and follow-up
- Objective charting and documentation
- Medical terminology and abbreviations and some pharmacology
- Administration techniques (using practical stories to teach concepts)
- Focusing on high-risk medications
- Determining root causes of medication errors
- Reporting near-misses
- Identifying signs and symptoms of common problem such as hyperglycemia, hypoglycemia, MI, and others
- Stratifying patients into different levels of care based on high-risk medications and other parameters

The panelists and audience members also expressed concern that the AL industry harbors fears of being too regulated. As a result of that fear, some facilities may avoid handling the medication management needs of residents as part of their services. Many medication errors occur during transitions of care. Primary care physicians should be managing (overseeing) AL residents' care and not allowing their care to be fragmented among numerous specialists, pharmacies, and hospitals. An emphasis is needed on developing better communication tools among caregivers. An area of particular need is family communication and education about dementia and medications. And finally, although this Symposium is addressing the current state of medication management, who will address the future needs of AL residents—those that will arise 5, 10, or 15 years from now?

Point-Counterpoint

Howard Groff, Moderator, NCAL chair; president, Tealwood Care Centers Inc.

Prescribing

Dan Haimowitz, MD, FACP, CMD, private practice

Josh Allen, RN, Community Education, LLC

Dr. Haimowitz stated that medical directors are underutilized in AL facilities but can be vital in coordinating care among many specialist physicians and in overseeing a resident's medications. An actively involved family is beneficial, yet because they assume responsibility for taking the resident to his or her physician, there is a possibility that they will return to the facility with unclear orders from the physician. Medical directors are often overly reliant on families to be the go-betweens, which can introduce problems and errors in medication administration. Physicians have difficulty communicating with facilities, stated Dr. Haimowitz. It is often unclear which nurse the physician should communicate with, or at times, the appropriate nurse

is not on duty when the physician calls. There are language barriers with the staff. The physician cannot give verbal orders in some facilities. Transitions of care are a major problem as is medication reconciliation. A prescriber may not know that a medication aide is strictly following dosing instructions by waking a resident in the middle of the night to give a medication and therefore cannot change the order to allow more flexible administration.

Mr. Allen countered by stating that on the other hand, nurses feel they are calling physician offices all day long. Facilities often lack the technology needed for electronic prescribing, and the cost is prohibitive for many sites. Additionally, AL staff may not be technically savvy.

Dr. Haimowitz warned that staff also need basic training in geriatrics. They need to know that any medication can have any side effect. Staff need to be taught to report any sign or symptom that is different.

Both presenters attested that, unfortunately, a level of animosity may develop between healthcare staff and physicians because of required documentation, forms, and varying state regulations. The presenters also agreed that clinical pathway guidelines of skilled nursing facilities (SNFs) can translate to the AL setting—but only if the AL industry accepts these guidelines without prejudice.

Dispensing

Alexander Pytlarz, PharmD, director of pharmacy, Vanguard Advanced Pharmacy Systems

Sharon Roth Maguire, MS, APRN-BC, GNP, APNP, vice president clinical services, Brookdale Senior Living

Skilled nursing care uses an institutional pharmacy model, noted Dr. Pytlarz. On the other hand, AL follows a retail pharmacy model. There are fundamental differences in the 2 systems that are relevant to the challenges of medication management.

Ms. Maguire stated that packaging and delivery are significant problems in the AL setting. Most retail pharmacies deliver once a day. Therefore, “stat” medications (medications that should be administered immediately) are problematic.

Dr. Pytlarz acknowledged the difficulties and said that AL facilities need to develop contracts with preferred pharmacies to meet their needs—contracts that specify delivery and packaging, including unit-of-use packaging, especially for controlled substances (due to diversion issues). Facilities can then communicate to families and residents the reasons why a pharmacy was chosen and encourage that pharmacy’s use by all residents. Facilities can also mandate a preferred pharmacy as the backup for those residents who want to do business with their own pharmacies. Alternatively, facilities can charge extra fees to deter residents from using pharmacies other than the facility’s preferred vendor. Using multiple pharmacy providers creates medication administration record (MAR) errors and packaging problems. From the pharmacy standpoint, said Dr. Pytlarz, it is challenging to serve “half” the facility. There is a multitude of packages, and MARs are incorrect because they only cover half the residents. Uti-

lizing a provider pharmacy that focuses on AL allows communication between pharmacist and physician to clarify problems and questions, such as PRN prescriptions, continued Dr. Pytlarz. Pharmacies have difficulty establishing contacts in facilities with high staff turnover. Establishment of 1 to 2 key pharmacy contacts in each AL facility may facilitate continuity in communication.

Administering

Richard Stefanacci, DO, MGH, MBA, AGSF, CMD, editor-in-chief, Assisted Living Consult
Kathleen McDermott, RN, BSN, area director of resident care, Sunrise Senior Living

Dr. Stefanacci presented 3 specific points from the physician perspective regarding administration:

1. Give medication appropriately, so that the timing is correct—evening or morning.
2. If there is a clinical issue, the medication aide should call the physician. Aides must understand the implication of giving or not giving a medication.
3. If a resident refuses a medication, the aide should call the physician.

Dr. Stefanacci also noted that it is useful to require physicians to perform medication passes once a year so they see how the passes work. This exercise allows physicians and medication aides to view “the other side” and ask the practical questions that can facilitate needed changes. Placing an outpatient geriatric physician/nurse practitioner office in a facility can improve communication tremendously and bring potential residents into the facility early. Furthermore, restricting the physician network decreases the number of physicians accessing residents and helps increase familiarity with individual residents.

From the administrator perspective, stated Ms. McDermott, it is important to motivate front-line staff. They are the most important people delivering medications. A medication course is effective, especially if peppered with “horror stories” about medication errors. However, the punitive element of medication errors must be removed. It’s vital to establish a trusting relationship between nurses and medication aides to promote reporting of medication errors or near-misses so that preventive processes can be developed, said Ms. McDermott. An important point to remember is that the front-line staff often knows better than anyone (sometimes even family) that something is not right with a resident. Listening to the staff and validating their reports is extremely important to ensuring resident safety.

Breakout Groups

Prescribing

Facilitated by Richard Stefanacci, DO, MGH, MBA, AGSF, CMD, editor-in-chief, Assisted Living Consult; and Susan Gilster, PhD, executive director, The Alois Alzheimer Center

The breakout group on prescribing identified the following questions, issues, and possible solutions:

- Prescribing problems in AL are *system* problems. All too often, the right hand does not know what the left is doing.
 - Potential solution: Develop best practice recommendations to manage medications

- from an organizational system perspective.
- When a resident visits a physician’s office alone or with a family member, the AL facility may not know. The facility doesn’t always know all of the medications a resident is taking.
 - Potential solution: Use standardized electronic information—electronic medication record (e-MAR) model?—or send a copy of the MAR to the facility.
 - Potential solution: CEAL develops a white paper to provide residents with information about medication management when they move in, including sheets for the facility to guide them and families.
 - Have all facility staff report resident medications, including over-the-counter (OTC) medications.
 - Use consultant pharmacists.
 - Is there an opportunity under Medicare Part D for plans to offer medication therapy management services?
- HIPAA issues are complicated when residents have dementia.
 - Potential solution: Assess all residents at admission for the need for legal representation.
- Physician involvement in AL facilities is low.
 - Potential solution: Recommend networks of preferred physicians and increase reimbursement to encourage physician involvement in AL.
- Spearheaded through statewide Quality Improvement Organizations (QIOs), CEAL could develop and post online educational material facilities can use, including:
 - Information on proxy decision makers (dementia)
 - Education about how to take medications
 - Information on high-risk medications including OTC
 - Preventive medicine including benefits and costs
 - Information on end-of-life care
- Other CEAL initiatives may focus on:
 - Improving transitions in care
 - Encouraging AL facilities to adopt health information technology (HIT)
 - Exploring variations in AL facilities across states to determine best practices
 - Reducing unnecessary polypharmacy

Dispensing

Facilitated by Nicole Brandt, PharmD, CGP, BCPP, associate professor, geriatric pharmacotherapy, Pharmacy Practice and Science, UMB School of Pharmacy; and Kathy Cameron, RPh, MPH, chair, Consumer Consortium on Assisted Living

This breakout group identified the following as the primary problems related to medication dispensing and delivery:

- On-time delivery and access to medications by AL settings
- Packaging systems
- Poorly defined and infrequently used role of consultant pharmacist
- Multiple pharmacy use
 - Mail order pharmacies that cannot provide timely prescription dispensing
 - Preferred (institutional) vs retail pharmacies

- Pharmacy errors in filling prescriptions
- Tracking difficulties

The group developed a list of priorities for improving medication dispensing to AL communities:

- Use consultant pharmacists for at least bi-annual reviews of resident medications, and provide education to residents, families, and staff to work cooperatively to reduce medication errors.
- Clearly disclose information about pharmacy services, fees, and expectations of residents and families (eg, explain the importance of providing a list of medications to staff and advising them of medication changes).
- Identify a preferred pharmacy provider, create contracts, and prenegotiate delivery availability and packaging.
- Develop clear communication processes between pharmacies and AL settings.
- Address the gap in research (ie, pharmacy errors in filling prescriptions and solutions).
- Increase the use of technology such as e-MARs and e-prescribing to decrease medication errors and improvement workflow.

Administering

Facilitated by Kathy Fiery, MS, LNHA, CALA, CSW, director, assisted living/alternative care, Health Care Association of New Jersey; and Josh Allen, RN, Community Education, LLC

The group identified the top concerns as the need for:

- Individualized medication management
- Assessment of residents' mental capacities
- Safe and efficient AL staffing

The group's recommendations included:

- Develop individualized medication management plans that tailor medication administration times and appropriate as-needed (PRN) medications to the needs of residents. The plans are based on decision-making capacity, competency, medical needs, and lifestyle choices. The individualized plans are successfully communicated to all stakeholders in the care setting.

The general discussion included the following points:

- Some facilities do not use medication aides. There is concern about the role of the medication aide because medication management is more than just giving pills. The medication aide is a natural fit in a social model of AL. But in a medical model (which may be needed in AL), the medication aide's role should be clearly defined.
- There is confusion about the role of the medication aide and what is meant by medication administration and self-administration. What research needs to be conducted in this area?
- The role of medication aides has become specialized—this is a career ladder for many healthcare staff. And many of these aides are responsible for medication administration to 60-plus residents.
- An ethical issue involves administration of medicines to residents with dementia. Is “hiding the pill in the pudding” overstepping a resident's rights or using sound judgment based on the need to administer the medicine?

- What are the ethics of legal incompetence vs resident capacity? Judges decide incompetence, but doctors decide capacity. Autonomy versus safety; ethics versus clinical needs.
- Do all medications fit the 2-hour administration window? Is consistency more valuable than person-centered care? Time limits are often self-inflicted by the clinical staff.
- How can we provide a more holistic perspective to medication administration? We need to consider how the medication regimen fits into the resident's whole lifestyle. What are the operational issues that may clash with such a model? Should a case manager be hired to assess the needs of the resident? Or is that a role of the nurse?
- More nursing oversight is needed in AL settings.
- What is the role of the physician or nurse practitioner in medication management in AL?
- What are the problems with PRN medications (adverse reactions and side effects) in the AL setting?

Recommendations

In developing recommendations for future steps, the CEAL Board synthesized the comments of presenters and the feedback of Symposium participants. **Collectively, these recommendations reflect a Person-Centered Systems Approach to Preventive Medication Management Interventions for all AL stakeholders to consider.** Emphasis was placed on designing systems to proactively intervene among staff, providers, and residents to reduce errors or problems with medication management.

System redesign would focus on:

1. Advocating for consistency in the medication management regulations across states
2. Improving training of unlicensed assistive personnel (UAPs)
3. Streamlining documentation for greater efficiency and accuracy (in part through increased use of electronic health records)
4. Standardizing medication packaging specific to the AL industry
5. Advocating for greater use of consultant pharmacists, physicians, nurse practitioners, and physician assistants on campus, including the possible development of preferred provider networks
6. Promoting professional development of RNs to optimize their understanding of the AL philosophy and to emphasize the importance of their role in medication management

Individualized medication management plans are needed to allow tailoring of appropriate PRN medications and polymedicine, based on an individual resident's needs and AL staffing. The plans would be based on a resident's decision-making capacity, competency, medical needs, and lifestyle choices. Proper communication of the plans to all involved stakeholders (eg, through electronic medication records [e-MARs]) is necessary.

The table **Strategies for 2008 and Beyond** (page 24) outlines the strategies for the coming year and beyond, including CEAL's role in promoting health information technology (HIT) and e-MARs, hosting a medication management Webinar this year, and developing a pocket medication guide for UAPs.

Strategies for 2008 and Beyond

	Medication Prescribing	Medication Dispensing	Medication Administration
CEAL Considerations for 2008			
CEAL to serve as a national champion to help increase awareness about the quality and safety of medication management in AL.	Coordinate sessions with AGS, ASCP, AMDA, and others at annual conferences of ACP, AMA, and AAFP to promote appropriate geriatric prescribing and communications with AL communities.	CEAL representative seat at national discussions about health information technology (HIT) (NGA, CAST, and others) to bring considerations to the table.	CEAL representative seat at national discussions about HIT (NGA, CAST, and others) to advocate for AL medication administering issues.
			Host a medication management Webinar in 2008 and airs the audio recording on the CEAL Clearinghouse.
			Gather information about existing pocket medication guides for unlicensed assistive personnel UAPs and begins a collaborative initiative to disseminate the pocket medication guides in AL facilities.
			CEAL is the clearinghouse for educational initiatives, tool kits, and more.
			Gather information about as-needed (PRN) standards and guidelines and makes them available on the CEAL Clearinghouse.

continued

Strategies for 2008 and Beyond

	Medication Prescribing	Medication Dispensing	Medication Administration
AL Provider Community Considerations			
	Develop improved practices of communicating with prescribers (ie, medication orders and changes, PRN medications, best time to reach prescribers, and more).	Consider contracts between AL facilities and preferred pharmacy providers to negotiate delivery times to increase quality systems.	Provide more rigorous training of medication aides and technicians about high-risk medications (eg, warfarin, insulin, and digoxin).
		Use electronic medication administration records (e-MARs) and e-prescribing to help reduce errors and increase quality systems.	Develop improved practices of communicating with prescribers (re: medication orders and changes, PRN medications, and the best time to reach staff).
		Provide clear disclosure about pharmacy services, fees, and what is expected of residents and families.	Use e-MARs and electronic health records to help reduce errors and increase quality systems.
		Use consultant pharmacists to educate residents, families, and staff.	Collaborate on CEAL initiative to disseminate pocket medication guides to UAPs.

continued

Strategies for 2008 and Beyond

	Medication Prescribing	Medication Dispensing	Medication Administration
AL Provider Community Considerations			
		Use consultant pharmacists for medication reviews.	Educate residents and families about their responsibilities for providing medication information to healthcare practitioners (including over-the-counter (OTC) drugs, herbals, PRN medications) and adverse drug events.

ACP, American College of Physicians; AAFP, American Academy of Family Physicians; AGS, American Geriatric Society; AMA, American Medical Association; AMDA, American Medical Directors Association; ASCP, American Society of Consultant Pharmacists; CAST, Center for Aging Services Technologies; NGA, National Governors Association

Center for Excellence in Assisted Living



Background and History

The Center for Excellence in Assisted Living (CEAL) was formed in 2004 as a nonprofit collaborative of 11 national organizations* representing diverse stakeholders in assisted living (AL). CEAL's mission is to promote excellence in AL by:

- Creating resources to facilitate quality improvement in AL
- Conducting and disseminating research on quality practices in AL
- Maintaining a national clearinghouse for information on AL
- Providing resources and technical expertise to facilitate growth in high-quality affordable AL programs to serve low- and moderate-income individuals.

In 2001, the Assisted Living Workgroup (ALW) was convened at the request of the US Senate Special Committee on Aging to develop consensus recommendations to ensure quality care in AL. ALW was a national initiative of nearly 50 organizations representing providers, consumers, long-term care (LTC) and healthcare professionals, regulators, and others. ALW presented 110 recommendations in testimony before the Aging Committee in April 2003. One of the recommendations put forth in the ALW Report was the creation of the Center for Excellence in Assisted Living. The ALW Report can be found at: www.theceal.org/ALW-report.php.

In addition to a Board of Directors, CEAL is served by an Advisory Council consisting of over 30 organizations with expertise in AL.

Notable CEAL achievements include:

- Convening national quality AL summits
- Hosting symposia on affordability and medication management in AL
- Launching a national information clearinghouse
- Partnering with the University of North Carolina-Chapel Hill on a community-based participatory research (CBPR) project on medication administration in AL
- Partnering with the Agency for Healthcare Research and Quality (AHRQ) on a national consumer disclosure initiative

CEAL's 2008 planned initiatives include:

- Expanding the clearinghouse to include more consumer information resources
- Hosting a Webinar on medication management in AL
- Establishing guidelines for an annual Effective Practices Award
- Launching an initiative focused on affordability in AL

*Alzheimer's Association, American Assisted Living Nurses Association (AALNA), American Association of Homes and Services for the Aging (AAHSA), American Association of Retired Persons (AARP), American Seniors Housing Association (ASHA), Assisted Living Federation of America (ALFA), Consumer Consortium on Assisted Living (CCAL), National Center for Assisted Living (NCAL), NCB Capital Impact, Paralyzed Veterans of America, and the Pioneer Network.

References

1. Nebeker JR, Barach P, Samore MH. Clarifying adverse drug events: a clinician's guide to terminology, documentation, and reporting. *Ann Intern Med.* 2004;140:795-801.
2. National Coordinating Council for Medication Error Reporting and Prevention (NCC MERP). About Medication Errors. NCC MERP Web site. www.nccmerp.org/aboutmederrors.html. Accessed July 10, 2008.
3. Wilson IB, Schoen C, Neuman P, Strollo MK, Rogers WH, Chang H, Safran DG. Physician-patient communication about prescription medication nonadherence: a 50-state study of America's seniors. *J Gen Intern Med.* 2007;22(1):6-12.
4. Armstrong EP, Rhodes M, Meiling F. Medication usage patterns in assisted living. *Consult Pharm.* 2001;16:65-69.
5. McAllister D, Schommer JC, McAuley JW, Palm J, Herring P. Comparison of skilled nursing and assisted living residents to determine potential benefits of pharmacist intervention. *Consult Pharm.* 2000;15(11):1110-1116.
6. Lazarou J, Pomeranz BH, Corey PN. Incidence of adverse drug reactions in hospitalized patients; a meta-analysis of prospective studies. *JAMA.* 1998;279(15):1200-1205.
7. Budnitz DS, Shehab N, Kegler SR, Richards CL. Medication use leading to emergency department visits for adverse drug events in older adults. *Ann Intern Med.* 2007;147(11):755-765.
8. Assisted Living Federation of America (ALFA). *2006 Overview of Assisted Living. Facts & Trends.* Alexandria, VA: ALFA; 2006.
9. Reinhard SC, Young HM, Kane RA. *Rutgers Report on Nurse Delegation of Medication Administration for Elders in Assisted Living.* New Brunswick, NJ: Rutgers Center for State Health Policy; June 2003.
10. Burton JT. Geriatrics: meeting the needs of our most vulnerable seniors in the 21st century. Testimony before the US Committee on Health, Education, Labor & Pensions. June 19, 2001. www.americangeriatrics.org/policy/burton.shtml. Accessed July 10, 2008.
11. O'Neill G, Barry PP. Training physicians in geriatric care: responding to critical need. *Public Policy & Aging Report.* 2003;13(2):17-21.
12. Fick DM, Cooper JW, Wade WE, Waller JL, Maclean JR, Beers MH. Updating the Beers criteria for potentially inappropriate medication use in older adults: results of a US consensus panel of experts. *Arch Intern Med.* 2003;163:2716-2724.
13. National Council on State Boards of Nursing (NCSBN). Working with others. A position paper. NCSBN Web site. [www.ncsbn.or/working_with_others\(1\).pdf](http://www.ncsbn.or/working_with_others(1).pdf). Accessed July 10, 2008.
14. Young HM, Gray SL, McCormick WC, Sikma SK, Reinhard S, Johnson Trippett L, Christlieb C, Allen T. Types, prevalence, and potential clinical significance of medication administration errors in assisted living. *J Am Geriatr Soc.* 2008 May 14 [Epub ahead of print].

Symposium Participants

*Brenda Abbott-Schultz, RN
Vice President Resident and Family Services
Benchmark Assisted Living

Josh Allen, RN
Community Education, LLC

Steve Axelrod, MD
Vice President, Strategy & Business
Development
SeniorMed-Walgreens

Debra Bakerjian, PhD, MSN, FNP
President
National Conference of Geriatric Nurse
Practitioners

Rachelle Bernstecker
Vice President, Government Affairs
American Seniors Housing Association

Maribeth Bersani
Senior Vice President, Public Policy
Assisted Living Federation of America

Robbyn V. Bhatt
Wyeth Pharmaceuticals

*Nicole Brandt, PharmD, CGP, BCPP
Associate Professor, Geriatric Pharmacotherapy
University of Maryland School of Pharmacy

*Jan Brickley, RPh
Adult Care Licensure Section
Division of Health Service Regulation

*Kathy Cameron, RPh, MPH
Chair
Consumer Consortium on Assisted Living

Paula Carder, PhD
Institute on Aging
Portland State University, School of
Community Health

Deb Choma, RN
Nurse/Administrator
Shard Villa

Tom Clark, RPh, FASCP
Director of Clinical Affairs
American Society of Consultant Pharmacists
Foundation

Lauren Cohen, MA
Research Associate
University of North Carolina-Chapel Hill

Matthew T. Corso, Esquire
O'Brien & Ryan, LLP

Rachel Couchenour
Senior Manager
Sanofi-Aventis

Fred Cowell
Associate Director of Health Policy
Paralyzed Veterans of America

Trish D'Antonio, RPh, MS, MBA, CGP
Director of Educational Affairs
American Society of Consultant Pharmacists

Irv Denton
Resident
Arrondale Retirement & Assisted Living
Community

Nancy Doyle
Director, Channel Marketing
GlaxoSmithKline

*Kathy Fiery, MS, LNHA, CALA, CSW
Director, Assisted Living/Alternative Care
Health Care Association of NJ

Isabella (Izzy) Firth
President
Mid-Atlantic Life Span

*Sandi Flores, RN
Director of Clinical Services
Community Education, LLC

Amy Fox, RN, MSW, LGSW
President, Fox Care Geriatric Care
Management
Board Member, Consumer Consortium on
Assisted Living

Steven Fox, MD, MPH
Center for Outcomes and Evidence
Agency for Healthcare Research and Quality,
US Department of Health & Human Services

Susan Frazier, RN
Corporate Director of Marketing
Brooke Grove Retirement Village

Elinor Fritz
Retired Director, Assessment & Survey
New Jersey Department of Health

Susan Ganson, RN, NHA, CASP
Resource Specialist, Aging Services
Commission on Accreditation of Rehabilitation
Facilities–Continuing Care Accreditation
Commission

Melissa Gasker, RN, BSN
Director of Clinical Operations
Erickson Retirement Communities

Craig Gerhart
National Account Director, Senior Care
Boehringer Ingelheim

Cindy Gerring, RN
Director of Nursing
Aarondale Retirement and Assisted Living
Community

Susan Gilster, PhD
Executive Director
The Alois Alzheimer Center

Pat Giorgio, MA
President
Evergreen Estates

Marianna Grachek, MSN, CNHA, CALA
Fellow, American College of Health Care
Administrators

Matthew Grissinger, RPh, FASCP
Director of Error Reporting Programs
Institute for Safe Medication Practices

Calvin Groeneweg, RN
American Assisted Living Nurses Association
Board of Directors

Howard Groff
National Center for Assisted Living, Chair
Board of Directors
President, Tealwood Care Centers Inc.

*Daniel Haimowitz, MD, FACP, CMD
Geriatrician and Medical Director
Private Practice

MaryJane Hall
Strategic Account Manager
Eisai/Pfizer

Yael Harris, PhD, MHS
Senior Policy Analyst
Office of the National Coordinator for Health
Information Technology, US Department of
Health & Human Services

Jennie Harvell
Senior Policy Analyst
Office of the Assistant Secretary for Planning
and Evaluation, US Department of Health &
Human Services

Eileen M. Hogan, MPA
Patient Safety Program Officer, Center for
Quality Improvement and Patient Safety,
Agency for Healthcare Research and Quality,
US Department of Health & Human Services

*Joan Horvath
Editorial Director
Assisted Living Consult

Joan Hyde, PhD
Chief Executive Officer
Ivy hall Senior Living, Inc.

Robert Jenkins
Director, National Green House Project
NCB Capital Impact

Kayda Johnson
Chief Operating Officer
Senior Resource Group

Shakeh Jackie Kaftarian, Ph.D
Senior Advisor, Women's Health Research
Agency for Healthcare Research and Quality,
US Department of Health & Human Services

John Kalvelage
President
Medicine-On-Time

Gavin Kennedy
Director, Division of Long-term Care, Office of
the Assistant Secretary for Planning and
Evaluation, US Department of Health &
Human Services

Beatriz Korc, MD, PhD
Director of Clinical Services
Brookdale Department of Geriatrics, Mt. Sinai
School of Medicine

Dave Kylo
Executive Director, National Center for Assisted
Living
Chair, Center for Excellence in Assisted Living
Board of Directors

Meg LaPorte
Provider Magazine

Beverly Laubert
State Long-term Care Ombudsman
Ohio Department of Aging

*Nancy Losben, RPh, CCP, FASCP
Chief Quality Officer
Omnicare, Inc.

*Karen Love
Managing Director
Center for Excellence in Assisted Living

Steve Maag
Director, Assisted Living and Continuing Care
American Association of Home and Services for
the Aging

*Sharon Roth Maquire, MS, APRN-BC, GNP,
APNP
Vice President, Clinical Services
Brookdale Senior Living

Annamarie Mariani-Huehn
Executive Director
Aarondale Retirement and Assisted Living
Community

Marci McAllister
Regional Sales Director, Senior Care Southeast
GlaxoSmithKline

Bud McConkie
Associate Director, Senior Care
Watson Pharmaceuticals

Kathleen McDermott, BSN, RN
Area Director of Resident Care
Sunrise Senior Living

Elizaabeth (Libby) McDonald
Director of Professional Services & Assisted
Living
Omnicare, Inc.

Matthew McNabney, MD
Medical Director, Hopkins ElderPlus
Johns Hopkins University

Vicki McNealley
Director of Assisted Living
Washington Health Care Association

Thais McNeil
Senior Care, Multicultural & Commercial
Strategy
GlaxoSmithKline

Carla Saxton McSpadden, RPh, CGP
Assistant Director, Policy and Advocacy
American Society of Consultant Pharmacists

Ethel Mitty, EdD, RN
Clinical Professor of Nursing
John A. Hartford Institute of Geriatric Nursing,
New York University

Laura Nichols
Director
Northern Virginia Long-term Care
Ombudsman Program

Gregory Osborne
Publisher
Assisted Living Consult

Doug Pace
Executive Director
National Commission for Quality Long-term
Care

Kim Picca, RN
Geriatric Care Manager
Debra Levy Eldercare Associates

Jackie Pinkowitz, MEd
Consumer advisor for QualityHealth.com, and
Consumer Consortium on Assisted Living
Advisory Board member

Karl Polzer
Senior Policy Director
National Center for Assisted Living

D.E.B. Potter, MS
Senior Survey Statistician
Agency for Healthcare Research and Quality,
US Department of Health & Human Services

Alexander Pytlarz, PharmD
Director of Pharmacy
Vanguard Advanced Pharmacy Systems

Susan Reinhard, PhD, MSN
Senior Vice President, American Association of
Retired Persons Public Policy Institute

David Reis
Senior National Account Director, Senior Care
Boehringer Ingelheim

*Barbara Resnick, CRNP, PhD
Professor of Nursing and Sonya Ziporkin
Gershowitz Endowed Chair in Gerontology
University of Maryland School of Nursing

David Ricci
Associate Publisher
Assisted Living Consult

Shelley Sabo
Director, Quality Improvement Programs
American Health Care Association, National
Center for Assisted Living, NCAL

Ian Salditch
Chief Executive Officer
Medicine-On-Time

Mark Shaffer
Boehringer Ingelheim

Reverend John Simmons, RN, PHN
Chief Executive Officer
Wellness Counseling Consultants

William Simonson, PharmD, FASCP, CGP
Independent Consultant Pharmacist
Immediate Past Chair, Commission for
Certification in Geriatric Pharmacy, and Past
President, American Society of Consultant
Pharmacists

Philip Sloane, MD, MPH
Co-Director, Program on Aging, Disability and
Long-term Care
Department of Family Medicine University of
North Carolina

William Spector, PhD
Senior Social Scientist, Long Term Care
Agency for Healthcare Research and Quality,
US Department of Health & Human Services

Richard Stefanacci, DO, MGH, MBA, AGSF,
CMD
Editor-in-Chief, *Assisted Living Consult*
Founding Executive Director, Health Policy
Institute, University of the Sciences in
Philadelphia

Danielle Stroupe
Representative
Medicine-On-Time

Myron Taylor
Regional Manager
California Senior Care Licensing Office

Jane Tilly, Dr PH
Director, Quality Care Advocacy
Alzheimer's Association

Brandy Toivonen
Memory Care Coordinator
Springridge Court

Robert Trovato
Associate Director, Field Sales
Watson Pharmaceuticals

Jamie Tuck
Regional Nurse Manager
Belmont Village - Memphis

Susan Weiss
Senior Vice President Advocacy
American Association of Homes and Services
for the Aging

*Paul Williams
Director of State Public Policy
Assisted Living Federation of America

*Heather Young, PhD, GNP, FAAN
Grace Phelps Distinguished Professor
Oregon Health & Science University

Sheryl Zimmerman, PhD
Co-Director, Program on Aging, Disability and Long-term Care
University of North Carolina, Chapel Hill

*Symposium Planning Committee



The Center for Excellence in Assisted Living
www.theceal.org